Author Index of Volume 160

Adams, B. L., 229
Alpas, A. T., 25
de Avillez, R. R., 101

Ballandras, S., L5
Berçot, P., L5
Bingham, D., 107
Bowman, K. J., 201
Byrne, J. G., 91

Cadogan, J. M., 107
Calderon, H. A., 189
Campbell, S. J., 107
Cavin, O. B., 37
Chang, C. M., 91
Chaturvedi, M. C., 271
Chen, F. C., 261
Chou, C. P., 261
Chu, S. L., 261
Clyne, T. W., 1
Cowley, J., 159
Cruceanu, E., L9

Daniau, W., L5
Deutz, J., L9
Dève, H. E., 209
Dezellus, A., 251

Edwards, L., 17

Flinn, J. E., 155

Gaffet, E., 251
Grabski, M. V., 215
Grujicic, M., 37
Gungor, S., 17

Han, Y. H., 271
Hauden, D., L5
Hirose, A., 143
Hubbard, C. R., 37
Huntz, A. M., 113

Irisawa, T., 181

Jenny, J., 201
Jing, J., 107
Jones, R. H., 127

Kim, T. W., L13
Kim, Y. G., L13
Klein, H., L9
Kobayashi, K. F., 143
Kostorz, G., 189
Kunze, K., 229

Labib, A., 81
Lebrun, J. L., 113
Li, H. P., 221
Li, P., 261
Li, S. H., 271
Liu, C., 113
Liu, H., 81
Liu, M., 159

Maloney, M. J., 209
Mannan, S. L., 63
Matsumoto, H., 181
McCormick, P. G., 57
Mendoza, A., 71
Miyamoto, Y., 137, 181
Montemayor-Aldrete, J., 71
Mukherjee, A. K., 215
Murakami, K., 137, 181

Niessen, P., 49
Noebe, R. D., 201

Ochin, P., 251
Okamoto, T., 137, 181
Orozco, E., 71
Ovid'ko, I. A., L1

Pick, R. J., 49
Prasad, Y. V. K., 63
Preston, S., 7

Qiang, N., 49

Reyhani, M. M., 57
Rios, P. R., 101
Rouchaud, J. C., 251

Samuel, F. H., 81
Schmitz, W., L9
Sekhar, J. A., 221
Simonen, E. P., 127
Spearing, S. M., 209

Tangrila, S., 37
Thayer, R. B., 169

Ueda, T., 143
Ullmaier, H., L9
Ullrich, G., 189

Valiev, R. Z., 215
Venugopal, S., 63

Watson, M. C., 1
Wayman, C. M., 241
Wright, S. I., 229
Wyrzykowski, J. W., 215

Yang, H. S., 215
Yang, J.-M., 169
Yang, J. H., 241
Yoshimoto, A., 137

Zelin, M. G., 215
Zhang, J., 25

Subject Index of Volume 160

Alloys
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
effect of iron additions on structure of Laves phases in Nb–Cr–Fe alloys, 37
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
microstructure and plasticity of two molybdenum-base alloys (TZM), 189
on the Ni_5Al_3 phase and related phenomena in a NiAlFe alloy, 241
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13
structure and mechanical properties of a thermal-sprayed nickel–20wt.%chromium alloy, 181
the effect of aluminium on TRIP Fe–Mn–Al alloy steels at room temperature, 261
thermodynamics of carbonitride nucleation in microalloyed steels containing niobium and vanadium, 101
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143
Aluminides
texture in hot-worked B2-structure aluminides, 201
Aluminium
about the internal stress measurements during sigmoidal transient creep in Cu–16at.%Al, 71
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
application of a new automatic lattice orientation measurement technique to polycrystalline aluminum, 229
chemically disordered Ni_3Al synthesized by rapid solidification: an experimental investigation of the quenching parameters, 251
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17
on the Ni_5Al_3 phase and related phenomena in a NiAlFe alloy, 241
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13
the effect of aluminium on TRIP Fe–Mn–Al alloy steels at room temperature, 261
Austenite
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13

B2 structures
texture in hot-worked B2-structure aluminides, 201
Boron
laser glazing of Nd–Fe–B magnets, 107
Bridging ductile fibers
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209

Carbon
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13
Carbonitrides
thermodynamics of carbonitride nucleation in microalloyed steels containing niobium and vanadium, 101
Chemical disordering
chemically disordered Ni_3Al synthesized by rapid solidification: an experimental investigation of the quenching parameters, 251
Chromium
effect of iron additions on structure of Laves phases in Nb–Cr–Fe alloys, 37
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
structure and mechanical properties of a thermal-sprayed nickel–20wt.%chromium alloy, 181
Cold working
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
Composites
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
on new types of non-crystalline metallic composites, L1
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209
plasma spray synthesis of composite materials with fine titanium carbide particles, 137
Compression
influence of state of stress on the processing map for hot working of stainless steel type AISI 304L: compression *vs.* torsion, 63
Copper
about the internal stress measurements during sigmoidal transient creep in Cu–16at.%Al, 71
Corrosion
stage I stress corrosion cracking behavior, 127
Cracking
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17
stage I stress corrosion cracking behavior, 127
Creep
about the internal stress measurements during sigmoidal transient creep in Cu–16at.%Al, 71
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169

Crystallization
on new types of non-crystalline metallic composites, L1

Deep etching
metallic microdevices fabricated by deep-etch UV lithography, L5
Deformation
investigation of the deformation behavior of samples with superplastic layers, 215
Delamination
delamination wear in ductile materials containing second phase particles, 25
Directional solidification
microstructural stability of the directionally solidified γ'-base superalloy IC6, 271
Dispersion hardening
hafnium carbide growth behavior and its relationship to the dispersion hardening in tungsten at high temperatures, 159
Ductile materials
delamination wear in ductile materials containing second phase particles, 25
Dynamic loading
dynamic-loading-induced damage in tantalum and Armco iron, 49

Fabrication
metallic microdevices fabricated by deep-etch UV lithography, L5
Fatigue
bending fatigue strength of nitrocarburized steel SS2244, 7
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209
Fibre reinforcement
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169
Fibres
the tensioned push-out test for fibre–matrix interface characterisation under mixed mode loading, 1
Forging
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17

Hafnium
hafnium carbide growth behavior and its relationship to the dispersion hardening in tungsten at high temperatures, 159
Hafnium carbide
hafnium carbide growth behavior and its relationship to the dispersion hardening in tungsten at high temperatures, 159
Hot pressing
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169
Hot working
influence of state of stress on the processing map for hot working of stainless steel type AISI 304L: compression *vs.* torsion, 63
texture in hot-worked B2-structure aluminides, 201

Interfaces
the tensioned push-out test for fibre–matrix interface characterisation under mixed mode loading, 1
Intermetallics
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209

Iron
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
dynamic-loading-induced damage in tantalum and Armco iron, 49
effect of iron additions on structure of Laves phases in Nb–Cr–Fe alloys, 37
laser glazing of Nd–Fe–B magnets, 107
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
on the Ni_5Al_3 phase and related phenomena in a NiAlFe alloy, 241
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13
the effect of aluminium on TRIP Fe–Mn–Al alloy steels at room temperature, 261

Laser glazing
laser glazing of Nd–Fe–B magnets, 107
Lasers
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143
Lattice orientation
application of a new automatic lattice orientation measurement technique to polycrystalline aluminum, 229
Laves phase
effect of iron additions on structure of Laves phases in Nb–Cr–Fe alloys, 37

Magnets
laser glazing of Nd–Fe–B magnets, 107
Manganese
annealing of a cold-worked duplex Fe–Mn–Al–C alloy, 91
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
properties of austenitic Fe–25Mn–1Al–0.3C alloy for automotive structural applications, L13
the effect of aluminium on TRIP Fe–Mn–Al alloy steels at room temperature, 261
Mechanical properties
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
Metallic microdevices
metallic microdevices fabricated by deep-etch UV lithography, L5
Micropyretics
dimensional changes during micropyretic synthesis, 221
Microstructional stability
microstructural stability of the directionally solidified γ'-base superalloy IC6, 271
Microstructure
microstructure and plasticity of two molybdenum-base alloys (TZM), 189
Mixed mode loading
the tensioned push-out test for fibre–matrix interface characterisation under mixed mode loading, 1
Molybdenum
microstructure and plasticity of two molybdenum-base alloys (TZM), 189
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209

Neodymium
laser glazing of Nd–Fe–B magnets, 107

Nickel
chemically disordered Ni_3Al synthesized by rapid solidification: an experimental investigation of the quenching parameters, 251
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
on the Ni_5Al_3 phase and related phenomena in a NiAlFe alloy, 241
origin and development of residual stresses in the Ni–NiO system: *in situ* studies at high temperature by X-ray diffraction, 113
structure and mechanical properties of a thermal-sprayed nickel–20wt.%chromium alloy, 181
Nickel oxide
origin and development of residual stresses in the Ni–NiO system: *in situ* studies at high temperature by X-ray diffraction, 113
Niobium
effect of iron additions on structure of Laves phases in Nb–Cr–Fe alloys, 37
thermodynamics of carbonitide nucleation in microalloyed steels containing niobium and vanadium, 101
Nitrocarburization
bending fatigue strength of nitrocarburized steel SS2244, 7
Non-crystalline metals
on new types of non-crystalline metallic composites, L1

Oxidation
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143
Oxygen
origin and development of residual stresses in the Ni–NiO system: *in situ* studies at high temperature by X-ray diffraction, 113

Plasma spray synthesis
plasma spray synthesis of composite materials with fine titanium carbide particles, 137
Plasticity
microstructure and plasticity of two molybdenum-base alloys (TZM), 189
Polycrystals
application of a new automatic lattice orientation measurement technique to polycrystalline aluminum, 229
Push-out tests
the tensioned push-out test for fibre–matrix interface characterisation under mixed mode loading, 1

Quenching
chemically disordered Ni_3Al synthesized by rapid solidification: an experimental investigation of the quenching parameters, 251

Rapid solidification
chemically disordered Ni_3Al synthesized by rapid solidification: an experimental investigation of the quenching parameters, 251

Silicon
creep behavior of SiC fiber-reinforced hot-pressed Si_3N_4 composites, 169
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
mechanical and shape memory behaviour in an Fe–Mn–Si–Cr–Ni alloy, 57
on the fatigue response of bridging ductile fibers in an $MoSi_2$ intermetallic composite, 209
Solidification rate
effect of solidification rate (0.1–100 C s^{-1}) on the microstructure, mechanical properties and fractography of two Al–Si–10vol.%SiC composite castings, 81
Stainless steel
influence of state of stress on the processing map for hot working of stainless steel type AISI 304L: compression *vs.* torsion, 63
Steel
bending fatigue strength of nitrocarburized steel SS2244, 7
the effect of aluminium on TRIP Fe–Mn–Al alloy steels at room temperature, 261
thermodynamics of carbonitride nucleation in microalloyed steels containing niobium and vanadium, 101
Stress
about the internal stress measurements during sigmoidal transient creep in Cu–16at.%Al, 71
influence of state of stress on the processing map for hot working of stainless steel type AISI 304L: compression *vs.* torsion, 63
origin and development of residual stresses in the Ni–NiO system: *in situ* studies at high temperature by X-ray diffraction, 113
stage I stress corrosion cracking behavior, 127
Superalloys
microstructural stability of the directionally solidified γ'-base superalloy IC6, 271
Superplasticity
investigation of the deformation behavior of samples with superplastic layers, 215
Surface texture
effect of surface texture on the initiation and propagation of small fatigue cracks in a forged 6082 aluminium alloy, 17

Tantalum
dynamic-loading-induced damage in tantalum and Armco iron, 49
Tension
the tensioned push-out test for fibre–matrix interface characterisation under mixed mode loading, 1
Thermal spraying
structure and mechanical properties of a thermal-sprayed nickel–20wt.%chromium alloy, 181
Titanium
plasma spray synthesis of composite materials with fine titanium carbide particles, 137
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143
Titanium aluminide
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143
Titanium carbide
plasma spray synthesis of composite materials with fine titanium carbide particles, 137
Torsion
influence of state of stress on the processing map for hot working of stainless steel type AISI 304L: compression *vs.* torsion, 63
Tungsten
hafnium carbide growth behavior and its relationship to the dispersion hardening in tunsten at high temperatures, 159

UV lithography
metallic microdevices fabricated by deep-etch UV lithography, L5

Vanadium
thermodynamics of carbonitride nucleation in microalloyed steels containing niobium and vanadium, 101

Wear
delamination wear in ductile materials containing second phase particles, 25
wear and oxidation properties of titanium aluminides formed onto titanium surface by laser alloying, 143

X-ray diffraction
origin and development of residual stresses in the Ni–NiO system: *in situ* studies at high temperature by X-ray diffraction, 113